

LogiLink®

Wireless Dome IP Camera with Night Vision & HD 960P 4x Optical Zoom

Art. No.: WC0049



The integrated 960P wireless Dome IP Camera with 1.3 Megapixel solution, combining high quality digital video camera with network connectivity, and a powerful web server to bring clear images to your desktop from anywhere on your local network or over the Internet. With IP66 water-resistance, allowing you to monitor home or office through rough weather conditions.

Features:

- » Ideal for outdoor surveillance
- » High-sensitivity 1/3" CMOS sensor with 1.3 Megapixel
- » 36 IR LEDs illumination for night vision up to 30m
- » 4x optical zoom with wide-range of pan and tilt control
- » IP66 waterproof casing against water-blasting and dustproof
- » H.264 video compression
- » 30 fps at 1280 x 960
- » Multi-level users management and passwords definition
- » Supports image snapshot
- » 1 input of alarm and 1 output of alarm
- » Giving alarm of motion detection via email or APP
- » Supports Dynamic IP (DDNS) and UPNP LAN and Internet (ADSL, Cable Modem)
- » Compliant with ONVIF 2.0 standards
- » Free APP for both Android devices and iPhone; free software available for Windows/Mac OS

**Easy
installation
in 60s**



Free APP **Its Mycam** available to download:



For iOS




For Android

Utility for PC/Mac OS:

<http://www.logilink.de/media/driver/WC0049.zip>

Realtime viewing on PC/Mac:



WC0049



Made in China



RoHS
compliant



* The specifications and pictures are subject to change without notice.
*All trade names referenced are the registered namework of their respective owners.

LogiLink®

Wireless Dome IP Camera with Night Vision & HD 960P 4x Optical Zoom

Art. No.: WC0049



Specification:

Image Sensor	1/3" Color CMOS Sensor
Display Resolution	1280 x 960 Pixels (1.3 Megapixel)
Lens	4x optical zoom lens (3,7mm~14,8mm)
Minimum Illumination	0,5Lux
Viewing Angle	23°~90°
Infrared Light	36 IR LEDs 850mm
IR-CUT	With IR-CUT filter
Audio Input	External
Audio Output	External
Audio Compression	ADPCM
Image Compression	H.264
Image Frame Rate	30fps (VGA) 30fps (QVGA)
Resolution	1280 x 960 (HD) 640 x 480 (VGA) 320 x 240 (QVGA)
Flip Mirror Images	Vertical / Horizontal
Light Frequency	50Hz, 60Hz, Outdoor
Video Parameters	Brightness, Saturation, Contrast, Hue
Ethernet Interface	Build in 10/100Mbps, Auto MDI/MDIX, RJ-45
Supported Protocol	TCP/IP, HTTP, DNS, DHCP, PPPoE, SMTP, FTP, SSL, TFTP, NTP, ARP/RARP NFS RTSP, RTP, RTCP
Compress Rate Level	128Kbps~4Mbps
Wireless Standard	IEEE 802.11b/g/n
Data Rate	802.11b: 11Mbps (max.) 802.11g: 54Mbps (max.) 802.11n: 150Mbps (max.)
Wireless Security	WEP & WPA WPA2 Encryption
Water Resistant	IP66 (Camera only)
Alarm Input	1 Channel On/Off Input

Best Connectivity



RoHS
compliant



* The specifications and pictures are subject to change without notice.
*All trade names referenced are the registered namework of their respective owners.



WC0049



4 052792 038439

Made in China

LogiLink®



Wireless Dome IP Camera
with Night Vision & HD 960P
4x Optical Zoom

Art. No.: WC0049

Alarm Output	1 Channel Relay Output
Product Dimension	240 x 237 x 134mm
Product Weight	1,15kg
Cable Length	500mm
Network Cable Length	1500mm
Power Adapter Length	1450mm
Power Supply	DC 12V/2A
Power Consumption	9 Watts (Max.)
Operate Temperature	0°C ~ 55°C (32°F ~ 131°F)
Operating Humidity	20% ~ 85% non-condensing
Storage Temperature	-10°C ~ 60°C (14°F ~ 140°F)
Storage Humidity	0% ~ 90% non-condensing

PC System Requirements:

CPU	2.0GHz or above (suggested 3.0GHz)
Memory Size	256MB or above (suggested 1.0GHz)
Display Card	64M or above
Supported OS	Microsoft Windows 2000/XP/ Vista/7/8/10 and Mac OS X
Browser	IE6.0/7.0/8.0/Firefox/Safari/Google Chrome or other standard browsers



WC0049



4 052792 038439

Made in China



RoHS
compliant



* The specifications and pictures are subject to change without notice.


*All trade names referenced are the registered trademark of their respective owners.

Best Connectivity


LogiLink®

Wireless Dome IP Camera with Night Vision & HD 960P 4x Optical Zoom

Art. No.: WC0049



Work in both LAN and wireless environment



Package Contents:

- » 1 x IP Camera
- » 1 x Power Adapter
- » 1 x Antenna
- » 1 x Network Cable
- » 1 x Screws Package
- » 1 x User Manual

Package Informations:

- » Packing Dimension: 272 x 292 x 168mm
- » Packing Weight: 2kg
- » Carton Dimension: 292 x 604 x 356mm
- » Carton Q'ty: 4pcs
- » Carton Weight: 13kg



WC0049



Made in China



RoHS
compliant



* The specifications and pictures are subject to change without notice.
* All trade names referenced are the registered namework of their respective owners.

Best Connectivity